



Co-funded by
the European Union

Osnove web dizajna u WordPress-u

Prebacivanje WordPress sajta na hosting i domen

Filip Marković

Fakultet tehničkih nauka u Kosovskoj Mitrovici



UNIVERSITY OF LJUBLJANA
Faculty of Electrical Engineering



University of Pristina
Kosovska Mitrovica



Proces migracije

- Kada se WordPress sajt završi u lokalnom okruženju (npr. XAMPP), sledeći korak je njegovo premeštanje na internet, odnosno na web hosting.
- Ovaj proces se naziva **migracija sajta**.
- Migracija podrazumeva prenos svih WordPress fajlova i baze podataka na server.
- Cilj je da sajt bude dostupan javno, pod sopstvenim domenom.
- Migracija može biti izvedena **automatski** pomoću pluginova ili **ručno**, korišćenjem FTP alata i baze podataka.



Šta je hosting i domen

- **Hosting** je onlajn prostor gde se čuvaju fajlovi sajta (slike, teme, dodaci, baza).
- **Domen** je adresa putem koje posetioci pristupaju sajtu (npr. www.mojaprvastranica.rs).
- Hosting i domen zajedno čine osnovu svake web prezentacije.
- Prilikom migracije, WordPress fajlovi se kopiraju na hosting nalog, dok se baza podataka uvozi na server.
- Korisnik tada povezuje domen sa hostingom putem DNS zapisa.



Priprema za prebacivanje

- Pre početka, potrebno je:
 - Napraviti **backup** kompletnog lokalnog projekta (fajlovi + baza).
 - Proveriti da li je WordPress ažuriran.
 - Obezbediti pristup **cPanel-u** ili FTP podacima hostinga.
 - Kreirati praznu MySQL bazu na serveru, jer će se u nju uvoziti lokalna baza.
- Ova priprema sprečava greške prilikom prenosa i omogućava brzu korekciju ako dođe do problema.



Automatska migracija putem AIO Plugin Migration

- Najjednostavniji način za premeštanje sajta je korišćenjem plugina **All-in-One WP Migration**.
- Nakon instalacije na lokalni sajt, korisnik bira opciju *Export* → *File* i preuzima .wpress fajl.
- Na novom WordPressu (na hostingu) instalira isti plugin i bira *Import* → *File*, gde se ubacuje preuzeti fajl.
- Plugin automatski prenosi sve sadržaje, postavke i bazu, bez ručnih intervencija.
- Ovaj metod je idealan za korisnike koji žele brz i siguran prenos





Trusted by 60M+ sites: The gold standard for WordPress migrations, backups, and site transfers since 2013.

By [ServMask](#)

★★★★★ (7,582)

5+ Million Active Installations

Last Updated: 2 weeks ago

✓ Compatible with your version of WordPress

LEAVE FEEDBACK

- ☐ I have an idea [↗](#)
- ☐ I need help

Moj prvi sajt

New

Dashboard

Posts

Media

Pages

Kubio

Comments

Appearance

Plugins

Users

Tools

All-in-One WP Migration

Export

Import

Backups

Reset Hub Premium

Schedules Premium

Settings

Collapse Menu

Kubio PRO is now up to 30% OFF – design like a pro today!

EXPORT SITE

Search for <text> Replace with filip in the database

ADD

Advanced options (click to expand)

EXPORT SITE TO

FILE

GOOGLE DRIVE

FTP

DROPBOX

AMAZON S3

ONEDRIVE

PCLOUD

S3 CLIENT

GOOGLE CLOUD

DIGITALOCEAN

MEGA

BACKBLAZE B2

BOX

AZURE STORAGE

WEBDAV

AMAZON GLACIER

Preparing to export...

STOP EXPORT

Post

Thank you for creating with WordPress.

Version 6.8.3

Dodavanje nove stranice

Ručna migracija

- Ručna migracija zahteva nešto više tehničkog znanja, ali daje potpunu kontrolu nad procesom.
- Sastoji se iz dva dela:
 - **Prenos fajlova** – pomoću FTP klijenta ili Total Commandera.
 - **Prenos baze podataka** – izvoz lokalne baze i uvoz u bazu na hostingu.
- Ovaj metod je koristan kada se koristi prilagođeno podešavanje servera ili specifična struktura fajlova.



Prenos fajlova putem Total Commandera

- Total Commander omogućava povezivanje sa serverom putem FTP protokola.
- Korisnik unosi adresu servera, korisničko ime, lozinku i port (obično 21).
- Kada se uspostavi veza, lokalni fajlovi (iz *htdocs/naziv_sajta*) se kopiraju u *public_html* ili *www* folder na serveru.
- Prenos može trajati nekoliko minuta, u zavisnosti od veličine sajta i brzine interneta.
- Po završetku, svi WordPress fajlovi su dostupni online.



Total Commander (x64) 11.51 - NOT REGISTERED

Files Mark Commands Net Show Configuration Start Help

FTP Transfer mode Binary (archives, doc etc.) Disconnect Waiting for server... 226 53 matches total

ftp://vespaced@ves-pec.edu.rs@ftp-ves-pec.edu.rs

Name	Ext	Size	Date	Attr
[.]				
[.cagefs]			06.04.2018 21:10	-771
[.caldav]			07.05.2024 10:07	-755
[.cl.selector]			08.10.2025 04:23	-755
[.clwpos]			22.02.2024 01:46	-700
[.cpaddons]			18.11.2019 14:47	-755
[.cpanel]			19.10.2025 23:03	-700
[.cphorde]			02.10.2019 23:33	-700
[.gnome2]			16.08.2011 17:12	-755
[.htpasswd]			19.01.2018 14:03	-750
[.koality]			03.04.2024 10:01	-755
[.pyzor]			21.12.2016 14:05	-755
[.razor]			20.10.2025 14:15	-755
[.softaculous]			15.07.2019 01:22	-711
[.spamassassin]			08.05.2025 11:10	-755
[.sqmailattach]			12.01.2011 01:15	-755
[.sqmaildata]			25.10.2012 02:22	-755
[.subaccounts]			07.05.2024 10:07	-755
[.trash]			12.03.2025 00:02	-700
[.cache]			22.10.2016 09:58	-755
[.desktop]			14.03.2018 12:57	-755
[.etc]			03.04.2025 09:12	-750
[.logs]			20.10.2025 19:02	-700
[.lscache]			04.11.2024 10:50	G771
[.mail]			05.02.2025 22:54	-751

0 k / 1.272.937 k in 0 / 21 file(s), 0 / 30 dir(s)

c:\xampp\htdocs\wordpress>

Name	Ext	Size	Date	Attr
[.]			17.10.2025 19:08	----
[wp-admin]			17.10.2025 19:08	----
[wp-content]			20.10.2025 21:27	----
[wp-includes]			17.10.2025 19:08	----
.htaccess		543	17.10.2025 19:10	-a--
index	php	405	17.10.2025 18:54	-a--
license	txt	19.903	17.10.2025 18:54	-a--
readme	html	7.425	17.10.2025 18:54	-a--
wp-activate	php	7.387	17.10.2025 18:54	-a--
wp-blog-header	php	351	17.10.2025 18:54	-a--
wp-comments-post	php	2.323	17.10.2025 18:54	-a--
wp-config	php	3.604	17.10.2025 19:09	-a--
wp-config-sample	php	3.336	17.10.2025 18:54	-a--
wp-cron	php	5.617	17.10.2025 18:54	-a--
wp-links-opml	php	2.502	17.10.2025 18:54	-a--
wp-load	php	3.937	17.10.2025 18:54	-a--
wp-login	php	51.414	17.10.2025 18:54	-a--
wp-mail	php	8.727	17.10.2025 18:54	-a--
wp-settings	php	30.081	17.10.2025 18:54	-a--
wp-signup	php	34.516	17.10.2025 18:54	-a--
wp-trackback	php	5.102	17.10.2025 18:54	-a--
xmlrpc	php	3.205	17.10.2025 18:54	-a--

0 k / 185 k in 0 / 18 file(s), 0 / 3 dir(s)

F3 View F4 Edit F5 Copy F6 Move F7 NewFolder F8 Delete Alt+F4 Exit

Izgled ručne migracije uz pomoć Total Commander-a

Izvoz i uvoz baze podataka

- U XAMPP-u se baza izvozi iz *phpMyAdmin-a* klikom na *Export* → *Quick* → *SQL*. Na hostingu, u *phpMyAdmin-u*, otvara se nova prazna baza i bira opcija *Import*, gde se učitava SQL fajl.
- Tako se svi podaci – objave, korisnici, podešavanja i veze sa temama – prenose na novi server.
- Nakon uvoza, baza sadrži iste tabele i podatke kao i lokalna verzija sajta.



phpMyAdmin

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Replication Variables Charsets Engines Plugins

Recent Favorites

New

- information_schema
- mysql
- performance_schema
- phpmyadmin
- test
- wordpress

Exporting databases from the current server

Export templates:

New template:

Template name

Existing templates:

Template:

Export method:

☒ Quick - display only the minimal options

☐ Custom - display all possible options

Format:

Console

Izvoz baze podataka sa localhost-a


Ažuriranje linkova u bazi

- Pošto se promeni lokacija sajta, potrebno je ažurirati sve linkove koji još uvek upućuju na *localhost*.

To se radi SQL komandom u *phpMyAdmin-u*:

- UPDATE wp_options SET option_value = 'https://tvojdomen.rs' WHERE option_name = 'siteurl';
- UPDATE wp_options SET option_value = 'https://tvojdomen.rs' WHERE option_name = 'home';
- Na taj način, WordPress prepoznaje novu adresu i svi linkovi na sajtu funkcionišu ispravno.





The screenshot shows the phpMyAdmin web interface for a MySQL server at 127.0.0.1. The left sidebar displays a database tree with 'New' and several existing databases: 'information_schema', 'mysql', 'performance_schema', 'phpmyadmin', 'test', and 'wordpress'. The main panel is titled 'Run SQL query/queries on server "127.0.0.1":'. It contains a text area with two SQL queries:

```
1 UPDATE wp_options SET option_value = 'https://tvojdomen.rs' WHERE option_name = 'siteurl';
2 UPDATE wp_options SET option_value = 'https://tvojdomen.rs' WHERE option_name = 'home';
3
```

Below the text area are buttons for 'Clear', 'Format', and 'Get auto-saved query'. There is a checkbox for 'Bind parameters' and a 'Bookmark this SQL query:' input field. At the bottom, there is a 'Delimiter' dropdown set to semicolon, and several checkboxes: 'Show this query here again', 'Retain query box', 'Rollback when finished', and 'Enable foreign key checks' (which is checked). To the right of these are 'Simulate query' and 'Go' buttons. A 'Console' tab is visible at the bottom left of the main panel.

Primer ažuriranja linkova nakon podizanja sajta na domen

Provera i testiranje sajta

- Nakon prenosa, korisnik proverava funkcionalnost:
- da li se početna stranica otvara,
- da li slike i linkovi rade,
- da li su pluginovi aktivni.
- Ako se sajt ne učitava, obično treba proveriti *wp-config.php* (podatke o bazi) i strukturu fajlova na serveru.
- Ova faza testiranja je ključna pre nego što sajt postane javno dostupan.





Co-funded by
the European Union

Questions & Answers

"Funded by the European Union. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union. Neither the European Union nor the granting authority can be held responsible for them."

Network of centers for regional short study programs in the countries of the Western Balkans

Call: ERASMUS-EDU-2023-CBHE

Project number: 101128813



UNIVERSITY OF LJUBLJANA
Faculty of Electrical Engineering



University of Pristina
Kosovska Mitrovica

